



Web Images Groups News Froogle Local^{New!} more »

file inconsistent virus

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about 377,000 for **file inconsistent virus**. (0.25 seconds)

FIX: Inconsistent gap count can cause 1394 devices to not enumerate

For more information about how to download Microsoft support **files**, ...
Microsoft used the most current **virus**-detection software that was available on the ...
support.microsoft.com/default.aspx?scid=kb;en-us;329256 - [Similar pages](#)

How antivirus software and System Restore work together

... in Microsoft Windows XP interacts with your **virus** scanning software. This article
also describes how to remove infected **files** that you cannot clean from ...
support.microsoft.com/?kbid=831829 - [Similar pages](#)

Virus brings Doom

Files infected with the **virus** can then infect other **files**, and even take command
... corrupted **files** or system sounds **inconsistent** with your applications. ...
h50055.www5.hp.com/smb/au/resources/virus.aspx - 31k - [Cached](#) - [Similar pages](#)

Symantec Enterprise Solutions

... that detect **inconsistent** behavior in order to help differentiate non-**virus**
... In this innovative process, if a **virus** is detected, the infected **file** is ...
enterprisesecurity.symantec.com/article.cfm?articleid=11&PID=6526177 - 25k - [Cached](#) - [Similar pages](#)

[Python-bugs-list] [python-Bugs-755031] zipfile: inconsistent ...

[Python-bugs-list] [python-Bugs-755031] zipfile: **inconsistent** filenames with
InfoZip ... Lentin.o" **virus** and the **file** name is designed to hide this. ...
mail.python.org/pipermail/python-bugs-list/2003-June/018346.html - 8k - [Cached](#) - [Similar pages](#)

Windows 2000 File Replication Service [FRS, NTFRS]

Other **virus** checking programs that modify security descriptors during **virus** scans
... **Inconsistent** replicas are generated. File Replication Service Stops ...
labmice.techtarget.com/windows2000/FileMgmt/FRS.htm - 47k - [Cached](#) - [Similar pages](#)

LightScribe - Digital Living

Install anti-**virus** software: Using an antivirus program is the best way to keep your
... You receive "write protect errors" when executing .exe **files** from a ...
www.lightscribe.com/use/digitalliving.aspx?id=121&bcd=120 - 14k - [Cached](#) - [Similar pages](#)

PC Magazine: Security Watch Letter: Inside the JPEG Virus

Full text of the article, 'Security Watch Letter: Inside the JPEG **Virus**' from
... The JPEG specification allows the embedding of comments in the JPEG **file**. ...
www.findarticles.com/p/articles/mi_zdpcm/is_200409/ai_n7184572 - 29k - [Cached](#) - [Similar pages](#)

Executable File Icons Changer free download. The tool can replace ...


The tool can replace the icon in the executable **file** easily very much ! Even the
executable **file** compressed or the size of the icon is **inconsistent**, h...
www.freedomdownloadscenter.com/.../File_Maintenance_and_Repair_Uutilities/Executable_File_Icons_Changer.html
- 27k - [Cached](#) - [Similar pages](#)

[PPT] Web Support for UCOP Departments

File Format: Microsoft Powerpoint 97 - [View as HTML](#)
Inconsistent system patching and updating. **inconsistent virus** scanning ...
Central File Storage and Backup. Main driver of the project is Enhanced Security ...
www.ucop.edu/irc/mdi/mdiinitiativeV042.ppt - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

file inconsistent virus **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

file inconsistencies virus

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about 272,000 for file inconsistencies virus. (0.25 seconds)**Secunia - Virus Information - Bacros.A**

A is a **virus** that infects local filesystem **files** by renaming all text **files** ...
 is done completely automatically, therefore minor **inconsistencies** may occur. ...
secunia.com/virus_information/12647/bacros.a/ - 21k - [Cached](#) - [Similar pages](#)

Secunia - Virus Information - W2K.Stream

Stream **virus** only infects **files** on Windows 2000 using NTFS, ... process is done
 completely automatically, therefore minor **inconsistencies** may occur. ...
secunia.com/virus_information/14151/stream.a/ - 25k - [Cached](#) - [Similar pages](#)
[\[More results from secunia.com \]](#)

Release History:

DLL; Handle server claiming ESMTP but only SMTP; Accept range of **virus** scanner
 ... Remove popup message on NT shutdown; Check for FPSE **file inconsistencies** ...
instantservers.com/releases.html - 38k - [Cached](#) - [Similar pages](#)

JCU - Computer Viruses

The **virus** code has to be in a form, such as an .exe program **file** or a Word .doc
 ... Look for **inconsistencies**, some hoaxes have nothing to do with viruses. ...
www.library.jcu.edu.au/InfoHelp/Guides/virus/ - 28k - Oct 14, 2005 - [Cached](#) - [Similar pages](#)

John Barnett's Windows XP Help And Support - Life Savers

We download a **file** from the internet, a record of it is stored on our hard ...
 The amount of people who don't bother with **virus** protection in the hope that ...
xphelpandsupport.mvps.org/lifesavers.htm - 21k - [Cached](#) - [Similar pages](#)

Message data checks

This is what conventional spam and **virus** scanners do, as they normally operate
 on the ... MIME decoding errors or **inconsistencies** do not happen very often; ...
www.tldp.org/HOWTO/Spam-Filtering-for-MX/datachecks.html - 15k - [Cached](#) - [Similar pages](#)

Network of Emerging Scientists, NESD #1013

LABOR MARKET ++++++ 1 Cynthia Walsh points out **inconsistencies** in press
 coverage of ... TEXAS **VIRUS**: Makes sure that it's bigger than any other **file**. ...
psyche.uthct.edu/nes/1995/nov/nesd1013.html - 12k - [Cached](#) - [Similar pages](#)

[PDF] Virus Hoaxes:

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 However, the **virus** PE_MAGISTR.A is capable of using the SULFNBK.EXE **file** to
 propagate. ... for **inconsistencies**, falsehoods, or violations of common sense. ...
www.softwarespectrum.com/business/TAAP_Library/Trend_docs/NSM_VH.pdf - [Similar pages](#)

Viruses, Worms & Other Invaders


Virus, Worms and other invaders. ... Pretty Park and similar viruses, for instance,
 consist of a single **file**, FILES32.VXD. You can't simply remove this **file** ...
www.aaxnet.com/topics/virus.html - 17k - [Cached](#) - [Similar pages](#)

What's New in File and Print Services

EFS **files** can be shared among multiple users. Enhanced Anti-Virus Support ...
 When CHKDSK encounters logical **inconsistencies** it takes actions to repair **file** ...
www.microsoft.com/windowsserver2003/evaluation/overview/technologies/fileandprint.mspx - 39k -
[Cached](#) - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

file inconsistencies virus **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

virus inconsistent



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used virus inconsistentFound **2,759** of **164,603**Sort results
by

relevance

Display
results

expanded form

☒ [Save results to a Binder](#)☒ [Search Tips](#)☐ Open results in a new
windowTry an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [A taxonomy of computer program security flaws](#)

Carl E. Landwehr, Alan R. Bull, John P. McDermott, William S. Choi

September 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 3Full text available: [pdf\(3.81 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

An organized record of actual flaws can be useful to computer system designers, programmers, analysts, administrators, and users. This survey provides a taxonomy for computer program security flaws, with an Appendix that documents 50 actual security flaws. These flaws have all been described previously in the open literature, but in widely separated places. For those new to the field of computer security, they provide a good introduction to the characteristics of security flaws and how they ...

Keywords: error/defect classification, security flaw, taxonomy**2** [Security as a new dimension in embedded system design: Security as a new dimension in embedded system design](#)

Srivaths Ravi, Paul Kocher, Ruby Lee, Gary McGraw, Anand Raghunathan

June 2004 **Proceedings of the 41st annual conference on Design automation**Full text available: [pdf\(209.10 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The growing number of instances of breaches in information security in the last few years has created a compelling case for efforts towards secure electronic systems. Embedded systems, which will be ubiquitously used to capture, store, manipulate, and access data of a sensitive nature, pose several unique and interesting security challenges. Security has been the subject of intensive research in the areas of cryptography, computing, and networking. However, despite these efforts, *security is ...*

Keywords: PDAs, architectures, battery life, cryptography, design, design methodologies, digital rights management, embedded systems, performance, security, security processing, security protocols, sensors, software attacks, tamper resistance, trusted computing, viruses

3 [User interface design in the trenches: some tips on shooting from the hip](#)

Robert M. Mulligan, Mark W. Altom, David K. Simkin


March 1991 **Proceedings of the SIGCHI conference on Human factors in computing systems: Reaching through technology**Full text available: [pdf\(577.03 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

4 Textual bloopers: an excerpt from GUI bloopers

Jeff Johnson

September 2000 **interactions**, Volume 7 Issue 5

Full text available:  [pdf\(734.19 KB\)](#)

 [html\(80.52 KB\)](#)

Additional Information: [full citation](#), [index terms](#)



5 A survey of peer-to-peer content distribution technologies

Stephanos Androutsellis-Theotokis, Diomidis Spinellis

December 2004 **ACM Computing Surveys (CSUR)**, Volume 36 Issue 4

Full text available:  [pdf\(517.77 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Distributed computer architectures labeled "peer-to-peer" are designed for the sharing of computer resources (content, storage, CPU cycles) by direct exchange, rather than requiring the intermediation or support of a centralized server or authority. Peer-to-peer architectures are characterized by their ability to adapt to failures and accommodate transient populations of nodes while maintaining acceptable connectivity and performance. Content distribution is an important peer-to-peer application ...


Keywords: Content distribution, DHT, DOLR, grid computing, p2p, peer-to-peer



6 Incremental cryptography and application to virus protection

Mihir Bellare, Oded Goldreich, Shafi Goldwasser

May 1995 **Proceedings of the twenty-seventh annual ACM symposium on Theory of computing**

Full text available:  [pdf\(1.65 MB\)](#)


Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



7 Risks to the public in computers and related systems

Peter G. Neumann

January 1990 **ACM SIGSOFT Software Engineering Notes**, Volume 15 Issue 1

Full text available:  [pdf\(2.11 MB\)](#)


Additional Information: [full citation](#)



8 Risks to the public and related systems

Peter G. Neumann

April 1988 **ACM SIGSOFT Software Engineering Notes**, Volume 13 Issue 2

Full text available:  [pdf\(1.34 MB\)](#)


Additional Information: [full citation](#), [index terms](#)



9 Risks to the public: Risks to the public in computers and related systems

Peter G. Neumann

May 2002 **ACM SIGSOFT Software Engineering Notes**, Volume 27 Issue 3

Full text available:  [pdf\(1.92 MB\)](#)

Additional Information: [full citation](#)




10 Artificial immune systems: Sufficiency verification of HIV-1 pathogenesis based on multi-agent simulation

GUO Zaiyi, HAN Hann Kwang, TAY Joc Cing

June 2005 **Proceedings of the 2005 conference on Genetic and evolutionary computation GECCO '05**



Full text available:  [pdf\(1.72 MB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Researchers of HIV-1 are today, still unable to determine exactly the biological mechanisms that cause AIDS. Various mechanisms have been hypothesized and their existences have been experimentally verified, but whether they are sufficient to account for the observed disease progression is still in question. To better understand the phenomena, HIV-1 researchers turn to scientific models for hypothesis verification. Modeling methods which rely on differential calculus to describe population dynami ...

Keywords: AIDS, HIV-1, hypothesis verification, immune systems modeling, multi-agent simulation

11 Full Technical Papers: Supporting plan authoring and analysis

Jihie Kim, Jim Blythe

January 2003 **Proceedings of the 8th international conference on Intelligent user interfaces**Full text available:  [pdf\(370.11 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Interactive tools to help users author plans or processes are essential in a variety of domains. KANAL helps users author sound plans by simulating them, checking for a variety of errors and presenting the results in an accessible format that allows the user to see an overview of the plan steps or timelines of objects in the plan. From our experience in two domains, users tend to interleave plan authoring and plan checking while extending background knowledge of actions. This has led us to refin ...

Keywords: knowledge acquisition, knowledge bases, plan analysis, plan authoring, process models

12 Centralizing information technology in a distributed system (again?)

Wayne Brown

November 2002 **Proceedings of the 30th annual ACM SIGUCCS conference on User services**Full text available:  [pdf\(183.83 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

When Information technology (IT) was first introduced to organizations it was not considered a strategic asset. It was usually centralized and locked away in a basement. Over the years, IT moved away from centralization to decentralization and, since the mid-1990s, has begun to shift back. Heald College, like other institutions, has followed the same IT path. During the early years of IT, there was no need to decentralize deployment of mainframe systems. In a short period, technology evolved into ...

Keywords: centralization, decentralization, education, information technology, management, outsourcing

13 Security: A P2P intrusion detection system based on mobile agents

Geetha Ramachandran, Delbert Hart

April 2004 **Proceedings of the 42nd annual Southeast regional conference**Full text available:  [pdf\(240.04 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Traditional intrusion detection systems have a central coordinator with a static hierarchical architecture. We propose a peer-to-peer intrusion detection system that has no central coordinator. Our approach is like that of a "neighborhood watch". A virtual neighborhood is created where neighbors take on the task of looking out for each other. When an intrusion occurs they observe this intrusion and inform the residents about this intrusion and collectively take action. We use cooperating, mobile ...

Keywords: intrusion detection, mobile agents

14 Where do intelligent agents come from?

Cristobal Baray, Kyle Wagner

June 1999 **Crossroads**, Volume 5 Issue 4

Full text available:  [html\(51.79 KB\)](#) Additional Information: [full citation](#), [index terms](#)



15 The internet worm program: an analysis

Eugene H. Spafford

January 1989 **ACM SIGCOMM Computer Communication Review**, Volume 19 Issue 1

Full text available:  [pdf\(2.45 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

On the evening of 2 November 1988, someone infected the Internet with a *worm* program. That program exploited flaws in utility programs in systems based on BSD-derived versions of UNIX. The flaws allowed the program to break into those machines and copy itself, thus *infecting* those systems. This program eventually spread to thousands of machines, and disrupted normal activities and Internet connectivity for many days. This report gives a detailed description of the components of the ...



16 The string B-tree: a new data structure for string search in external memory and its applications

Paolo Ferragina, Roberto Grossi

March 1999 **Journal of the ACM (JACM)**, Volume 46 Issue 2

Full text available:  [pdf\(363.37 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We introduce a new text-indexing data structure, the String B-Tree, that can be seen as a link between some traditional external-memory and string-matching data structures. In a short phrase, it is a combination of B-trees and Patricia tries for internal-node indices that is made more effective by adding extra pointers to speed up search and update operations. Consequently, the String B-Tree overcomes the theoretical limitations of inverted files, B-trees, prefix B-trees, s ...

Keywords: B-tree, Patricia trie, external-memory data structure, prefix and range search, string searching and sorting, suffix array, suffix tree, text index



17 Defending wireless infrastructure against the challenge of DDoS attacks

Xianjun Geng, Yun Huang, Andrew B. Whinston

June 2002 **Mobile Networks and Applications**, Volume 7 Issue 3

Full text available:  [pdf\(313.57 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper addresses possible Distributed Denial-of-Service (DDoS) attacks toward the wireless Internet including the Wireless Extended Internet, the Wireless Portal Network, and the Wireless Ad Hoc network. We propose a conceptual model for defending against DDoS attacks on the wireless Internet, which incorporates both cooperative technological solutions and economic incentive mechanisms built on usage-based fees. Cost-effectiveness is also addressed through an illustrative implementation sche ...

Keywords: DDoS attack, PBN, wireless ad hoc network, wireless extended internet, wireless infrastructure, wireless portal network




18 Entry-level information systems personnel: a comparative study of ethical attitudes

Andrew Morris, Gary Jones, Jonathan Rubinsztein

June 1993 **Proceedings of the 1993 conference on Computer personnel research**




Full text available:  [pdf\(930.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A comparison of the ethical attitudes of South African undergraduate and Honours students, majoring in Information Systems (IS), and their American counterparts was undertaken in order to test the hypothesis: Compared to their American counterparts, South African entry-level IS personnel find a broader range of ethical dilemmas to be more "more acceptable". Based upon original research by David Paradice of Texas A&M University (Paradice, 1990) using a scenario-bas ...

19 [Prediction of Consensus RNA Secondary Structures Including Pseudoknots](#)

Christina Witwer, Ivo L. Hofacker, Peter F. Stadler

April 2004 **IEEE/ACM Transactions on Computational Biology and Bioinformatics (TCBB)**, Volume 1 Issue 2

Full text available:  [pdf\(1.53 MB\)](#) Additional Information: [full citation](#), [abstract](#)

Most functional RNA molecules have characteristic structures that are highly conserved in evolution. Many of them contain pseudoknots. Here, we present a method for computing the consensus structures including pseudoknots based on alignments of a few sequences. The algorithm combines thermodynamic and covariation information to assign scores to all possible base pairs, the base pairs are chosen with the help of the maximum weighted matching algorithm. We applied our algorithm to a number of diff ...

Keywords: Index Terms- RNA secondary structure, pseudoknots, covariance.

20 [Columns: Risks to the public in computers and related systems](#)

Peter G. Neumann

January 2001 **ACM SIGSOFT Software Engineering Notes**, Volume 26 Issue 1

Full text available:  [pdf\(3.24 MB\)](#) Additional Information: [full citation](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)